

# TECHNICAL DATA SHEET

## UNIQUE Q500

### Product Information:

Revision index / date: A, January 2018

### UMAX 5W30 – Q500

- Long Life & Full Engine Protection
- EPRO (Environment Protection)
- Full Synthetic

### Description:

UMAX 5W30 Q500 is 100% synthetic oil, fuel economy, developed to meet the requirements of petrol, LPG and diesel engines, including direct injection engines.

### Product features:

- Saves fuel
- Keeps the engine clean
- Excellent low temperature fluidity:
- Facilitates cold starting
- Rapid oil circulation

### Application:

Passenger car & light commercial vehicles engine

### Specifications:

ACEA: A5/B5

API: SL/CF

Renault RN0700

### Packaging:

12 x 1 L bottle, 4 x 4 L can, 4 x 5 L can, 1 x 20 L pail, 1 x 60 L drum, 1 x 210 L drum, 1000 L

**Typical data:**

Characteristics	Method	Units	Typical	Mini	Maxi
Viscosity grade	SAE-J	-	5W30	-	-
Kinematic viscosity @ 100°C	ASTM D 7279	cSt	10,2	9,5	12,5
Kinematic viscosity @ 40°C	ASTM D 7279	cSt	60	-	-
Viscosity index			130	-	-
CCS viscosity	ASTM D 5293	mPa.s	6000	-	6600
HTHS viscosity @ 150°C	CEC-L-36-A-97	mPa.s	3,1	2,9	3,5
Density	D 20/4	-	0,852	-	-
Pour point	ASTM D 5950	°C	-39	-36	-
T.B.N.	ASTM D 2896	Mg KOH/g	10,2	10,0	11,5
Sulphated ashes	ISO/FDIS 3987	% mass	1,16	1,0	1,5
Spectrometric analysis Phosphorus Zinc	ICP	ppm	1000	± 20 %	
Calcium			1100		
Magnesium			3100		
			-		
NOACK volatility	ASTM D 5800	% mass	11	-	13

The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification. The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies.